



W 75...M/ME/MX

U







UF_




UFC_


UFCR_#



STANDARD OUTPUT




ON REQUEST OUTPUT





| | | | M/ME/MX | | | | | M...FD | | M...FD | | M...FA | |
|------|----|------|---------|-------|-----|-----|------|--------|------|--------|-----|--------|-----|
| | | | AC | H | L | AD | Kg | LF | Kg | R | AD | R | AD |
| W 75 | S1 | M1 | 138 | 231 | 308 | 108 | 16.0 | 369 | 18.2 | 103 | 135 | 124 | 108 |
| W 75 | S2 | ME2S | 156 | 240 | 333 | 119 | 18.5 | — | — | — | — | — | — |
| W 75 | S2 | MX2S | 156 | 240 | 377 | 119 | 23.6 | — | — | — | — | — | — |
| W 75 | S3 | ME3S | 195 | 258.5 | 376 | 142 | 27.1 | — | — | — | — | — | — |
| W 75 | S3 | MX3S | 195 | 258.5 | 408 | 142 | 31.1 | — | — | — | — | — | — |
| W 75 | S3 | ME3L | 195 | 258.5 | 408 | 142 | 32.6 | — | — | — | — | — | — |
| W 75 | S3 | MX3L | 195 | 258.5 | 452 | 142 | 38.6 | — | — | — | — | — | — |

* Auf beiden Seiten


Verkürzte Flansch





U




INPUT



UF_





STANDARD OUTPUT




UFC_

UFCR_#




ON REQUEST OUTPUT



W 75

| | | M | M1 | M2 | N | N1 | N2 | N3 | N4 | P | Kg |
|------|----------|----|------|----|-----|-----|-----|-----|------|-----|-----|
| | | | | | | | | | | | |
| W 75 | P71 B5 | 14 | 16.3 | 5 | 160 | 130 | 110 | 11 | 9 | 112 | 9.5 |
| W 75 | P80 B5 | 19 | 21.8 | 6 | 200 | 165 | 130 | 12 | 11.5 | 112 | 9.7 |
| W 75 | P90 B5 | 24 | 27.3 | 8 | 200 | 165 | 130 | 12 | 11.5 | 112 | 9.6 |
| W 75 | P100 B5 | 28 | 31.3 | 8 | 250 | 215 | 180 | 13 | 12.5 | 120 | 9.7 |
| W 75 | P112 B5 | 28 | 31.3 | 8 | 250 | 215 | 180 | 13 | 12.5 | 120 | 9.7 |
| W 75 | P80 B14 | 19 | 21.8 | 6 | 120 | 100 | 80 | 7.5 | 6.5 | 112 | 9.4 |
| W 75 | P90 B14 | 24 | 27.3 | 8 | 140 | 115 | 95 | 7.5 | 8.5 | 112 | 9.4 |
| W 75 | P100 B14 | 28 | 31.3 | 8 | 160 | 130 | 110 | 10 | 8.5 | 120 | 9.5 |
| W 75 | P112 B14 | 28 | 31.3 | 8 | 160 | 130 | 110 | 10 | 8.5 | 120 | 9.5 |

* Da ambo i lati / On both sides / Auf beiden seiten / Tous le deux cotés
Flangia ridotta / Reduced flange / Verkürzte Flansch / Bride réduit



W 75

320 Nm

| | | | n_2 min ⁻¹ | M _{n2} Nm | P _{n1} kW | R _{n1} N | R _{n2} N | η _d % | | n_2 min ⁻¹ | M _{n2} Nm | P _{n1} kW | R _{n1} N | R _{n2} N | η _d % | | | | | | | | | | | |
|---|----------------|----|----------------------------|-----------------------|-----------------------|----------------------|----------------------|---------------------|------|---|-----------------------|-----------------------|----------------------|----------------------|---------------------|-----|--|---|---------------------|--|--|--|--|--|--|--|
| | | | | | | | | | | | | | | | | | n₁ = 2800 min⁻¹ | | | | | n₁ = 1400 min⁻¹ | | | | |
| | | | | | | | | | | | | | | | | | | i | η _s % | | | | | | | |
| W 75 | W 75_7 | 7 | 71 | 400 | 170 | 7.8 | 750 | 700 | 91 | 200 | 190 | 4.4 | 750 | 1530 | 90 | 184 | | | | | | | | | | |
| | W 75_10 | 10 | 67 | 280 | 205 | 6.7 | 750 | 1610 | 90 | 140 | 230 | 3.8 | 750 | 2240 | 88 | | | | | | | | | | | |
| | W 75_15 | 15 | 60 | 187 | 225 | 5.0 | 750 | 2120 | 88 | 93 | 250 | 2.9 | 750 | 2870 | 85 | | | | | | | | | | | |
| | W 75_20 | 20 | 56 | 140 | 225 | 3.8 | 750 | 2550 | 86 | 70 | 250 | 2.2 | 750 | 3410 | 83 | | | | | | | | | | | |
| | W 75_25 | 25 | 52 | 112 | 225 | 3.2 | 750 | 2900 | 83 | 56 | 250 | 1.8 | 750 | 3840 | 80 | | | | | | | | | | | |
| | W 75_30 | 30 | 45 | 93 | 240 | 2.9 | 750 | 3100 | 81 | 47 | 270 | 1.7 | 750 | 4090 | 77 | | | | | | | | | | | |
| | W 75_40 | 40 | 40 | 70 | 225 | 2.1 | 750 | 3660 | 77 | 35 | 255 | 1.3 | 750 | 4770 | 72 | | | | | | | | | | | |
| | W 75_50 | 50 | 36 | 56 | 195 | 1.6 | 750 | 4180 | 73 | 28.0 | 220 | 0.95 | 750 | 5410 | 68 | | | | | | | | | | | |
| | W 75_60 | 60 | 33 | 47 | 180 | 1.3 | 750 | 4610 | 70 | 23.3 | 200 | 0.75 | 750 | 5960 | 65 | | | | | | | | | | | |
| | W 75_80 | 80 | 28 | 35 | 160 | 0.90 | 750 | 5310 | 65 | 17.5 | 180 | 0.56 | 750 | 6200 | 59 | | | | | | | | | | | |
| W 75_100 | 100 | 25 | 28.0 | 135 | 0.65 | 750 | 5960 | 61 | 14.0 | 150 | 0.40 | 750 | 6200 | 55 | | | | | | | | | | | | |
| n₁ = 900 min⁻¹ | | | | | | | | | | n₁ = 500 min⁻¹ | | | | | | | | | | | | | | | | |
| W 75 | W 75_7 | 7 | 71 | 129 | 205 | 3.1 | 750 | 2120 | 88 | 71 | 225 | 2.0 | 750 | 2940 | 86 | 184 | | | | | | | | | | |
| | W 75_10 | 10 | 67 | 90 | 250 | 2.7 | 750 | 2700 | 86 | 50 | 275 | 1.7 | 750 | 3480 | 84 | | | | | | | | | | | |
| | W 75_15 | 15 | 60 | 60 | 270 | 2.0 | 750 | 3440 | 83 | 33 | 295 | 1.3 | 750 | 4380 | 80 | | | | | | | | | | | |
| | W 75_20 | 20 | 56 | 45 | 270 | 1.6 | 750 | 4050 | 80 | 25.0 | 295 | 1.0 | 750 | 5120 | 77 | | | | | | | | | | | |
| | W 75_25 | 25 | 52 | 36 | 270 | 1.3 | 750 | 4550 | 77 | 20.0 | 295 | 0.85 | 750 | 5720 | 73 | | | | | | | | | | | |
| | W 75_30 | 30 | 45 | 30 | 290 | 1.2 | 750 | 4860 | 74 | 16.7 | 320 | 0.81 | 750 | 6080 | 69 | | | | | | | | | | | |
| | W 75_40 | 40 | 40 | 22.5 | 275 | 1.0 | 750 | 5630 | 68 | 12.5 | 305 | 0.63 | 750 | 6200 | 63 | | | | | | | | | | | |
| | W 75_50 | 50 | 36 | 18.0 | 235 | 0.70 | 750 | 6200 | 63 | 10.0 | 260 | 0.47 | 750 | 6200 | 58 | | | | | | | | | | | |
| | W 75_60 | 60 | 33 | 15.0 | 215 | 0.56 | 750 | 6200 | 60 | 8.3 | 235 | 0.37 | 750 | 6200 | 55 | | | | | | | | | | | |
| | W 75_80 | 80 | 28 | 11.3 | 195 | 0.43 | 750 | 6200 | 54 | 6.3 | 215 | 0.29 | 750 | 6200 | 49 | | | | | | | | | | | |
| W 75_100 | 100 | 25 | 9.0 | 160 | 0.30 | 750 | 6200 | 50 | 5.0 | 180 | 0.21 | 750 | 6200 | 44 | | | | | | | | | | | | |

W 75

| | | i | J (· 10 ⁻⁴) [Kgm ²] | | | | | | | | | |
|-----------------|----------------|-----|---|-----|-----|-----|-----|-----|-----|------|------|-----|
| | | | | | | | | | | | | |
| | | | S1 | S2 | S3 | P63 | P71 | P80 | P90 | P100 | P112 | HS |
| W 75 | W 75_7 | 7 | 6.9 | 6.6 | 6.6 | — | 6.9 | 7.0 | 6.9 | 6.9 | 6.9 | 7.3 |
| | W 75_10 | 10 | 6.4 | 6.1 | 6.1 | — | 6.4 | 6.4 | 6.3 | 5.7 | 5.7 | 6.8 |
| | W 75_15 | 15 | 6.1 | 5.8 | 5.8 | — | 6.1 | 6.1 | 6.0 | 5.3 | 5.3 | 6.5 |
| | W 75_20 | 20 | 5.9 | 5.6 | 5.6 | — | 5.9 | 5.9 | 5.9 | 5.2 | 5.2 | 6.3 |
| | W 75_25 | 25 | 5.9 | 5.6 | 5.6 | — | 6.0 | 6.0 | 5.9 | 5.2 | 5.2 | 6.3 |
| | W 75_30 | 30 | 5.9 | 5.6 | 5.6 | — | 5.9 | 5.9 | 5.9 | 5.2 | 5.2 | 6.3 |
| | W 75_40 | 40 | 5.9 | 5.6 | 5.6 | — | 5.9 | 5.9 | 5.8 | 5.2 | 5.2 | 6.3 |
| | W 75_50 | 50 | 5.9 | 5.6 | 5.6 | — | 5.9 | 5.9 | 5.8 | 5.1 | 5.1 | 6.2 |
| | W 75_60 | 60 | 5.8 | 5.5 | 5.5 | — | 5.8 | 5.9 | 5.8 | 5.1 | 5.1 | 6.2 |
| | W 75_80 | 80 | 5.8 | 5.5 | 5.5 | — | 5.8 | 5.8 | 5.8 | 5.1 | 5.1 | 6.2 |
| W 75_100 | 100 | 5.8 | 5.5 | 5.5 | — | 5.8 | 5.8 | 5.7 | 5.0 | 5.0 | 6.2 | |