







W 86...M/ME/MX



U



UF_




UFC_




Icon	S	M	M/ME/MX				Kg	M...FD		M...FD		M...FA	
			AC	H	L	AD		LF	Kg	R	AD	R	AD
	S1	M1	138	256	324	108	20.1	385	22.3	103	135	124	108
	S2	M2S	156	265	349	119	22.6	425	25.7	129	146	134	119
	S2	ME2S	156	265	349	119	22.6	—	—	—	—	—	—
	S2	MX2S	156	265	393	119	27.7	—	—	—	—	—	—
	S3	ME3S	195	283.5	392	142	31.2	—	—	—	—	—	—
	S3	MX3S	195	283.5	424	142	34.2	—	—	—	—	—	—
	S3	ME3L	195	283.5	424	142	36.7	—	—	—	—	—	—
	S3	MX3L	195	283.5	468	142	42.7	—	—	—	—	—	—



OUTPUT




* Auf beiden Seiten





U




INPUT





UF_



OUTPUT




UFC_



W 86

		M	M1	M2	N	N1	N2	N3	N4	P	Kg
W 86	P71 B5	14	16.3	5	160	130	110	11	9	128	13.6
W 86	P80 B5	19	21.8	6	200	165	130	12	11.5	128	13.8
W 86	P90 B5	24	27.3	8	200	165	130	12	11.5	128	13.7
W 86	P100 B5	28	31.3	8	250	215	180	13	12.5	136	13.8
W 86	P112 B5	28	31.3	8	250	215	180	13	12.5	136	13.8
W 86	P80 B14	19	21.8	6	120	100	80	7.5	6.5	128	13.5
W 86	P90 B14	24	27.3	8	140	115	95	7.5	8.5	128	13.5
W 86	P100 B14	28	31.3	8	160	130	110	10	8.5	136	13.6
W 86	P112 B14	28	31.3	8	160	130	110	10	8.5	136	13.6

* Da ambo i lati / On both sides / Auf beiden seiten / Tous le deux cotés



W 86

440 Nm

		i	η _s %	n ₁ = 2800 min ⁻¹						n ₁ = 1400 min ⁻¹					
				n ₂ min ⁻¹	M _{n2} Nm	P _{n1} kW	R _{n1} N	R _{n2} N	η _d %	n ₂ min ⁻¹	M _{n2} Nm	P _{n1} kW	R _{n1} N	R _{n2} N	η _d %
				W 86	W 86_7	7	71	400	225	10.4	850	2930	91	200	250
W 86_10	10	67	280		260	8.5	850	3490	90	140	290	4.8	850	4620	88
W 86_15	15	60	187		295	6.6	850	4200	87	93	330	3.8	850	5510	85
W 86_20	20	60	140		285	4.9	850	4900	86	70	320	2.8	850	6380	84
W 86_23	23	58	122		285	4.3	850	5250	85	61	320	2.5	850	6800	82
W 86_30	30	45	93		320	3.9	850	5740	81	47	370	2.4	850	7000	76
W 86_40	40	45	70		295	2.7	850	6670	79	35	330	1.6	850	7000	75
W 86_46	46	43	61		305	2.5	850	7000	77	30	340	1.5	850	7000	73
W 86_56	56	39	50		265	1.8	850	7000	75	25.0	300	1.1	850	7000	70
W 86_64	64	37	44		250	1.6	850	7000	73	21.9	280	0.94	850	7000	68
	W 86_80	80	33	35	225	1.2	850	7000	69	17.5	255	0.73	850	7000	64
	W 86_100	100	29	28.0	205	0.92	850	7000	65	14.0	230	0.57	850	7000	59
				n ₁ = 900 min ⁻¹						n ₁ = 500 min ⁻¹					
W 86	W 86_7	7	71	129	270	4.1	850	4670	88	71	295	2.6	850	5890	85
	W 86_10	10	67	90	310	3.4	850	5500	86	50	345	2.2	850	6860	82
	W 86_15	15	60	60	355	2.7	850	6520	82	33	390	1.7	850	7000	78
	W 86_20	20	60	45	345	2.0	850	7000	81	25.0	380	1.3	850	7000	77
	W 86_23	23	58	39	345	1.8	850	7000	80	21.7	380	1.2	850	7000	75
	W 86_30	30	45	30	400	1.7	850	7000	73	16.7	440	1.1	850	7000	67
	W 86_40	40	45	22.5	355	1.2	850	7000	71	12.5	390	0.77	850	7000	66
	W 86_46	46	43	19.6	365	1.1	850	7000	69	10.9	405	0.73	850	7000	63
	W 86_56	56	39	16.1	325	0.83	850	7000	66	8.9	355	0.55	850	7000	60
	W 86_64	64	37	14.1	300	0.70	850	7000	63	7.8	330	0.47	850	7000	58
	W 86_80	80	33	11.3	275	0.55	850	7000	59	6.3	305	0.38	850	7000	53
	W 86_100	100	29	9.0	250	0.43	850	7000	55	5.0	275	0.29	850	7000	49

W 86

		i	J (· 10 ⁻⁴) [Kgm ²]									
			S1	S2	S3	P63	P71	P80	P90	P100	P112	HS
W 86	W 86_7	7	9.7	9.4	9.4	—	9.7	9.7	9.6	9.6	9.6	10
	W 86_10	10	8.4	8.1	8.1	—	8.4	8.4	8.3	7.7	7.7	8.9
	W 86_15	15	7.7	7.4	7.4	—	7.7	7.7	7.7	7.0	7.0	8.2
	W 86_20	20	6.9	6.6	6.6	—	6.9	7.0	6.9	6.2	6.2	7.4
	W 86_23	23	6.8	6.5	6.5	—	6.8	6.9	6.8	6.1	6.1	7.3
	W 86_30	30	7.3	7.0	7.0	—	7.3	7.3	7.3	6.6	6.6	7.8
	W 86_40	40	6.7	6.4	6.4	—	6.7	6.7	6.6	6.0	6.0	7.2
	W 86_46	46	6.7	6.4	6.4	—	6.7	6.7	6.6	5.9	5.9	7.1
	W 86_56	56	6.6	6.3	6.3	—	6.6	6.7	6.6	5.9	5.9	7.1
	W 86_64	64	6.6	6.3	6.3	—	6.6	6.6	6.5	5.9	5.9	7.1
	W 86_80	80	6.6	6.3	6.3	—	6.6	6.6	6.5	5.9	5.9	7.1
	W 86_100	100	6.4	6.1	6.1	—	6.4	6.5	6.4	5.7	5.7	6.9